



### **WELDARC 220 T C5**

PORTABLE POWER

WELDING SET Range WELDARC INTENS

#### **PRODUCT ADVANTAGES**

- KOHLER air-cooled industrial engine
- Generating set guaranteed 3 years
- Good value for money
- Low consumption
- · Light storage box integrated

QUAD CLEAN AIR FILTER The Cyclonic Quad Clean air filters provide 4 levels of filtration which effectively filter out large particles and capture the finest particles. They ensure a continuous supply of clean air to the engine, economies, increase the performance and extend its lifetime

STAGE V (2016/1628 EU): This product is compliant with regulation for implementing requirements relating to gaseous and pollutant emission limits in Europe

#### Range WELDARC INTENS

Range provides a 2 in 1 generating set + welding set system, powerful and suitable for normal use.















# WELDARC 220 T C5

#### WELDING SET SPECIFICATIONS

| Range                                  | WELDARC INTENS |
|----------------------------------------|----------------|
| Frequency (Hz)                         | 50 Hz          |
| Max power (kW) *                       | 5,70           |
| Max power (kVA)                        | 7,10           |
| Normal duty cycle 35% (A)              | 200            |
| Intensif duty cycle 60% (A)            | 170            |
| Stricking volts (V)                    | 73             |
| Rods diameter mini (mm)                | 1.6            |
| Rods diameter maxi (mm)                | 4              |
| Fuel                                   | Petrol         |
| Tank (L)                               | 7,30           |
| 75% cons. (I/h) *                      | 2,60           |
| 75% Autonomy (h) *                     | 2,80           |
| Sound power level guaranteed LwA dB(A) | 97             |
| Acoustic pressure level @1m in dB(A)   | 83             |
| Acoustic pressure level @7m in dB(A)   | 69             |

#### **ENGINE SPECIFICATIONS**

| Engine brand                              | KOHLER   |
|-------------------------------------------|----------|
| Engine ref.                               | CH440_C5 |
| Engine Type                               | O.H.V.   |
| Start                                     | Starter  |
| Oil shutdown                              | Oui      |
| Displacement (cm3)                        | 429      |
| Oil system capacity including filters (I) | 1,30     |

#### ALTERNATOR SPECIFICATIONS

| Technology               | Collar and brush |
|--------------------------|------------------|
| AVR Regulation           | No               |
| Indication of protection | IP 23            |
| Insulation class         | Н                |

#### PLUGS AND PANEL DESCRIPTIVE

1 230V 10/16A socket - circuit breaker + 1 400V 16A socket - circuit breaker

#### **DIMENSIONS AND WEIGHT**

| Length (cm)     | 81    |
|-----------------|-------|
| Width (cm)      | 55,50 |
| Height (cm)     | 59    |
| Dry Weight (kg) | 94,50 |

#### **PACKAGING**

| Packaging type                     | Box    |
|------------------------------------|--------|
| Length (cm)                        | 82     |
| Width (cm)                         | 56,50  |
| Height (cm)                        | 60     |
| Weight (kg)                        | 96,50  |
| Pallet type                        | 120/80 |
| Number of box by pallet            | 6      |
| Pallet height (cm)                 | 193    |
| weight of the packaged Pallet (kg) | 589    |







## WELDARC 220 T C5

#### **ACCESSORIES SUPPLIED**



**Funnel** 



User and maintenance manual

#### **OPTIONS**



