Hydraulic attachment tools

Demolition, waste management and earth-moving.

Epiroc

Product overview

Meet our Hydraulic Attachment Tools.
Built with technology that makes them light, compact and more powerful than ever.

Demolition Earth-moving Recycling

SB
55–1,060 kg

MB
750–1,650 kg

HB
2,000–10,000 kg

Hydraulic Breakers

pages 6–11

HC
160–1,400 kg

Hydraulic Compactors

pages 12–13

CB
320–7,400 kg

Concrete Busters

pages 14–15

CC
1,550–7,100 kg

Combi Cutters
pages 16–17

DP
2,070–2,930 kg

Demolition Pulverizers
pages 18–19

BP
2,090–3,790 kg

Bulk Pulverizers
pages 20–21

MG
80–5,700 kg

Multi Grapples
pages 22–23

SC
380–9,060 kg

Steel Cutters
pages 24–25

HM
1,550–2,000 kg

Hydro Magnets
pages 26–27

BC
2,250–6,050 kg

Bucket Crushers
pages 28–29

BS
1,710–2,450 kg

Bucket Screener
pages 30–31

The use of **special wear resistant steel** guarantees highest durability even under the harshest conditions





Stackable screening baskets with different mesh sizes: 20/30/40/50/60 and 80 mm







BS range		BS 1600	BS 2200
Carrier weight class [1]	t	18–25	24–38
Service weight [2]	kg	1,710	2,450
Product weight	kg	1,550	2,200
A	mm	2,500	2,800
B	mm	1,700	2,000
C	mm	1,610	1,890
D	mm	1,300	1,600
E	mm	1,230	1,425
Loading volume	m^3	1.5	3
Oil flow rate	l/min	160–180	180–200
Max. operating pressure	bar	200	250

[1] Weights apply to standard carriers only. Any variances must be agreed with Epiroc and/or the carrier manufacturer prior to attachment.
[2] Attachment with average-sized adapter plate

Our consumables and wear parts are the right choice when maximum output and low lifecycle cost are in focus of your daily work.

You can find our consumables cataloge here.

facebook.com/epirocdemolition
facebook.com/epirocgroup
twitter.com/epirocgroup
instagram.com/epirocgroup
linkedin.com/company/epiroc

9864 0001 01 2021-11 Essen, Germany. Legal Notice © Copyright 2021. Epiroc Construction Tools GmbH, Essen, Germany. All product names in this publication are trademarks of Epiroc. Any unauthorized use or copying of the contents or any part thereof is prohibited. Illustrations and photos may show equipment with optional extras. No warranty is made regarding specifications or otherwise. Specifications and equipment are subject to change without notice. Consult your Epiroc Customer Center for specific information.

United in performance. Inspired by innovation.

Performance unites us, innovation inspires us, and commitment drives us to keep moving forward. Count on Epiroc to deliver the solutions you need to succeed today and the technology to lead tomorrow.
epiroc.com

Epiroc